

To Zachary Tuss
Fairfield Police Department (CA)
1000 Webster St.
Fairfield, CA 94533

QUOTE NO.: QUO-08277-Z6C7-0
EFFECTIVE FROM: 12/13/2023
EFFECTIVE TO: 3/15/2024

Tel:
Fax:
Mobile: 707-580-1095
Email: ztuss@fairfield.ca.gov

CURRENCY: US Dollar
SHIPPING METHOD: Ground
SHIPPING TERMS: FOB - DESTINATION
*DELIVERY DATE: 32 - 36 Weeks ARO
PAYMENT TERMS: Net 30

QTY	P/N	DESCRIPTION	\$/UNIT	% DISC.	LINE TOTAL
1.0	FLEX-111	CALIBER® FLEX w/ COFDM IP Radios & Dual PAN Disrupter Mount System Includes: Multi-Function Command & Control Unit (CCU) with 15" capacitive touch screen, 3D real time position avatar, Picture-in-picture (PIP), Pre-set configuration controls. • Walk along, handheld game pad controller with advanced multi axis control • Wireless COFDM IP Radio System • 360° Rotating Claw mounted to a 5 axis Robotic Arm with 5 axes of movement including: turret, shoulder, elbow, wrist & rotate • 1 x Color Claw camera with LED light • 2 x Disrupter/Weapon cameras with LED lights • 1 x Color Pan-Tilt-Zoom (PTZ) Camera with 30x Zoom and 360° Continuous Rotation with LED light, mounted on a motorized telescoping mast • 1 x Front-Drive Color/IR camera • 1x Rear-Drive Color/IR camera • Disrupter Mounting bracket for 2 recoilless disrupters, with LIDAR distance measuring device and 4 green lasers • 1 x Claw-Mounted 24V DC Firing Circuit • 2 x 24V DC Firing Circuit on Disrupter Mount • 2 x Deck-mounted 24V DC Firing Circuit s • 2 x 24V DC Battery Packs (1x onboard; 1x spare) & 1x 24V DC 110 Battery Charger • 12 V DC/110 Battery Charger • Rubber tracks with front and rear flippers • 2-way audio • 500' Hard-Wire Tether • 2 year warranty	\$196,950.00		\$196,950.00
0.0	10004	MK3/ T5 / FLEX Claw Kit - 2ND Generation The 2nd generation claw attachment kit includes specially designed tools to augment the capabilities of the CALIBER® T5, FLEX and MK3 robots. Kit includes: key holder, camera extension, box cutters, chemical sampler tube, clothes cutter, extension poles, tire deflator, window breaker, finger extension with porcelain tips, cutting hook, utility shears with ceramic blades, Cutabiner®, multiple effectors and hook & line accessories.	\$5,200.00		\$0.00
0.0	13365	Claw Auxiliary Camera - FLEX Increase your situational awareness while using your manipulator with the addition of the Claw Auxiliary Camera for your CALIBER® FLEX. This ultra-versatile mount has a fully adjustable folding arm that connects a camera to the claw housing. Fully configurable to provide the best viewing angle while using tools from the optional CALIBER® Claw Attachment Kit (PN: 10004). Note: Available for the CALIBER® FLEX only.	\$2,095.00		\$0.00
0.0	13903	FLEX - Arm Extension Kit Increases FLEX vertical reach up to 105" (267cm)for inspection of overhead compartments on buses, trains, and planes; or for under vehicle retrieval.	\$7,690.00		\$0.00
0.0	13901	FLEX Auxiliary Pole Camera Extendable Camera Pole mounts into FLEX weapon arm to add up to 74" (188 cm) of vertical surveillance.	\$1,950.00		\$0.00
0.0	13910	RF Extender - CALIBER® FLEX Increase the operating range of the RF wireless system for the CALIBER®FLEX.	\$3,555.00		\$0.00
0.0	13902	FLEX Bulkhead Truck Kit External truck brackets and 32ft (10m) internal cabling for mounting RF system outside command truck for FLEX (Client installs)	\$2,080.00		\$0.00
0.0	13900	FLEX Quick Release FLIR Camera FLIR Thermal Imaging Camera for the FLEX CALIBER® Robot ; Mounts to the Quick Release PTZ Mast (zoom not available); Wide Field of View (H49° x V39°) with an effective detection range up to 230m (750ft)	\$8,735.00		\$0.00
0.0	CAL-XR1	X-Ray Bracket X-ray mounting bracket for use with 14" x 17" PSP Imaging Plate and Golden Engineering XR-200 or XR-300 Sources. (Please call for other systems)	\$1,305.00		\$0.00

0.0	13371	DUKE PRO- FOR FLEX Duke Pro, 2-Channel Shock Tube Initiator with Mount for CALIBER® Flex	\$1,710.00		\$0.00
0.0	14595	K101 – IP24 DISRUPTER UNIT (ACME thread) IP24/Wildcat disrupter unit 12Ga, 24in barrel with ACME (coarse) thread breech. ACME threads prevent the breech from locking when fired. Comes with the push lock breech K4340PL, Push lock breech reduces parts, maintenance, and error. Includes the components to fire the disrupter and perform maintenance (initiators, stand, and laser are NOT included) Fires all the same rounds as the PAN disrupter.	\$3,220.00		\$0.00
0.0	CAL-K1000-ACME	T3 Recoil Reduction Kit (ACME) 20mm (12ga) T3 Recoil Reduction Kit manufactured by IDEAL Products, Inc. (K1000-ACME)	\$2,760.00		\$0.00
0.0	CAL-CCUSTND	Folding CCU Stand - T5, MK3, MK4 & FLEX Foldable Stand for CALIBER T5, MK3, MK4 & FLEX Command and Control Unit. Powder coated black. Hold CCU at height of 37". Folded size of 42" X 22.5" X 6.5". Unfolds to 37" X 22.5" X 22", 22 Lbs.	\$405.00		\$0.00
0.0	13477	FLEX Fiber-Optic Tether Fiber-optic Tether Reel 1000' (305m) milspec with auto-spooler for use as a backup to RF control of the CALIBER® FLEX robot.	\$15,430.00		\$0.00
0.0	CAL-AL0	Ramps Foldable, lightweight ramps for T5 or MK3	\$570.00		\$0.00
0.0	13899	FLEX Basic Spare Parts Kit Essential items to maintain and repair your CALIBER® FLEX robot	\$5,775.00		\$0.00
0.0	EXWAR-FLEX	Extended Warranty - CALIBER® FLEX CALIBER® FLEX Robot Extended Warranty. Add an additional year (3rd Year) to the standard 2 year warranty. (Available for CALIBER® FLEX)	\$15,330.00		\$0.00
0.0	11134	24V DC Battery Pack - FLEX Spare/Replacement 24V DC Battery Pack for CALIBER® FLEX Robot	\$1,600.00		\$0.00
0.0	12481	FLEX - IP67 110VAC Smart Charger - 24V Spare/Replacement 24V DC, 12Ah, Robot Battery Charger for CALIBER® FLEX. 110V, TYPE A/B Plug	\$890.00		\$0.00
0.0	13537	FLEX Universal Disruptor Mount Kit CALIBER® FLEX Universal Disruptor Mount for use with the Chemring RE70 M3 Plus / Vulkan Maxi, Proparms 20mm RC MKIII / 29mm RC XLT, ABL2000L / ABL3000, and Picatinny Rail mount.	\$4,675.00		\$0.00
0.0	13355	FLEX - CCU Power Pack EXTERNAL CCU POWER PACK KIT FOR FLEX	\$2,905.00		\$0.00
0.0	15281	IP MESH Repeater Increase the effective range of your CALIBER® IP based robots by deploying IP MESH repeater nodes. These nodes establish a self-forming and self-healing MANET (mobile ad-hoc network) providing a continuous connection between the Command-and-Control Unit (CCU) and the CALIBER® IP based robot. The robust mobile network effectively manages the transmission of data, video, and audio to maximize performance while significantly extending the distance between the CCU and the robot. Repeater nodes offer advanced features such as a Global Positioning System (GPS / GNSS) for precise location tracking and a static low light color camera for enhanced surveillance capabilities. Repeater nodes can be deployed manually or by robot with the included OctoPad universal base stand or on a tripod (not included). Note: CALIBER® Flex robot requires Software version 1.4 or higher to fully utilize these features.	\$18,500.00		\$0.00
1.0	CAL-TTC-FLEX	CALIBER® FLEX ROBOT ONSITE TRAINING at Customer Location 2-Day Operation, Maintenance and Troubleshooting course of the CALIBER® FLEX, includes travel and accommodations for ICOR Technician. (CANADA and CONUS and one robot only) Consists of hands-on instruction for up to ten operators, and a classroom presentation for unlimited participants.	\$5,400.00		\$5,400.00
1.0	S&H	SHIPPING AND HANDLING	\$950.00		\$950.00

SUBTOTAL	\$202,350.00
SALES TAX (8.38 %)	\$16,956.93
FREIGHT	\$950.00
TOTAL	\$220,256.93

This is a quotation on the goods named, subject to the conditions noted below:

Unless otherwise provided: This quote is in US Dollars; shipping terms are EX WORKS for domestic and international shipments; all prices are exclusive of shipping costs, insurance, custom clearance and any applicable Taxes of any kind; all price quotations are valid for 90 days. Published list prices are subject to change without notice. Due to a policy of continuous product improvement, ICOR reserves the right to change specifications and appearance without notice. Please reference the invoice number on your cheque and remit to ICOR Technology Inc. 935 Ages Drive, Ottawa, Ontario K1G 6L3 Canada. The CALIBER® Robot (including the MK3, T5, Mini, and MK4) contains up to 35% US-source materials and are ITAR export license free and not subject to AECA or EAR regulations. The CALIBER® Robot is a Controlled Good, and requires an Export Permit for international shipping in accordance with the *Export and Import Permits Act (R.S.C., 1985, c. E-19)*. Failure to perform due to the action or inaction of the Government of Canada will be considered Force Majeure, and, ICOR is not responsible for any penalties, fees, liquidated damages, etc. **Some or all of the quoted items are eligible for purchase through GSA's Cooperative Purchasing Program and 1122 Program for State and Local Law Enforcement. Please consult with your purchasing department to determine the optimal purchasing vehicle and notify your ICOR Sales Representative to make any changes necessary. ICOR's GSA Contract Number is: GS-07F-0430V**

DISCLAIMER REGARDING DISRUPTER MOUNT CONFIGURATIONS: ICOR Technology is a robot manufacturer and do not make disrupters. The end-user must consult with the disrupter manufacturer for complete instructions on loading, operation, maintenance and firing procedures. ICOR recommends that the end-user takes disrupter training from the manufacture before firing the weapon off of the robot. USE AT OWN RISK. ANY POTENTIAL DAMAGES TO THE ROBOT AS A RESULT OF USING A DISRUPTER ARE NOT COVERED UNDER WARRANTY. AS PER ICOR 'S LIMITED WARRANTY, WARNING AND LIMITATION OF LIABILITY DOCUMENT, ICOR SHALL BE HELD HARMLESS TO ANY LOSS OR INJURY AS RESULT OF USING DISRUPTERS ON THE ROBOT.

***NOTICE OF COVID-19 MANUFACTURING AND SHIPPING DELAY**

The COVID -19 pandemic has posed unprecedented problems to the worldwide supply chain network, causing delays in the delivery of critical components needed to build CALIBER® robots. ICOR's top priority is to build and deliver robots according to the order acknowledgement's timelines; nevertheless, we cannot be held liable for delays caused by restricted air cargo capacity and overburdened global logistics networks.

To accept this quotation, sign here and return:

Signature

Date